

Material Safety Data Sheet (GB)

according to Regulation (EC) 1907/2006



Product name : LUBA-print VP 942/P
40% in water
Revision : 01.03.2010 **Version :** 1.0.0
Print date : 19.03.2010

01. Identification of the substance/preparation and of the company/undertaking

Product name : LUBA-print VP 942/P
40% in water
Use of the substance / preparation : Waxadditiv for lacquers and printing-inks.
Manufacturer/Supplier : L. P. Bader & Co. GmbH
Street/P.O.Box : Neckartal 140
Country code/Postal code/Town/City : 78628 Rottweil
Telephone : +49 741 / 9 42 52-0
Telefax : +49 741 / 9 42 52-50
Contact : axel.pasedag@lubaprint.de
Emergency information : +49 741 / 9 42 52-0

02. Hazards identification

Hazard designation

Irritating to eyes.
Classification : Xi ; R 36

03. Composition/information on ingredients

Chemical characterization

wax emulsion

Hazardous components

FETTALKOHOLETHOXYLAT

Percentage : 7 %
Classification : Xi ; R 41 Xn ; R 22

For the wording of the listed risk phrases refer to section 16.

04. First-aid measures

General

Immediately remove all contaminated clothing.

After skin contact

Wash away with soap and water and rinse.

After eye contact

Remove contact lenses, keep eyelids open. Flush with plenty of water (10 - 15 min.). Call a physician.

After ingestion

Rinse mouth with water. If symptoms persist, consult a physician. Drink plenty of water.

05. Fire-fighting measures

Suitable extinguishing media

Foam, CO₂, powder extinguisher, water haze, water spray jet. Not combustible under normal conditions.

Unsuitable extinguishing media

No Restrictions

Additional information

Do not allow the quenching water into the sewage system.

06. Accidental release measures

Personal precautions

Refer to protective measures listed in sections 7 and 8.

Material Safety Data Sheet (GB)

according to Regulation (EC) 1907/2006



Product name : LUBA-print VP 942/P
40% in water
Revision : 01.03.2010 **Version :** 1.0.0
Print date : 19.03.2010

Environmental precautions

Do not empty into drains. If the product contaminates lakes, rivers or sewages, inform appropriate authorities in accordance with local regulations.

Methods for cleaning up/collecting

Take up with an absorbing material and cover. Remove mechanically, take-up residues with absorbing material. For example: sand, sawdust, chemical binding agents (Calcium silicate hydrate).

07. Handling and storage

Information for safe handling

Avoid contact with skin and eyes. Comply with the health and safety at work laws.

Further information about storage conditions

Avoid cooling to under 0°C.

Storage class (VCI) : 12

08. Exposure controls/personal protection

Personal protective equipment

Hand protection

Protective gloves, PVC or rubber.

Eye protection

Use safety glasses.

09. Physical and chemical properties

Image

Form : Liquid.
Colour : Light yellowish.
Odour : Poor, characteristic.

Relevant safety data

| | | | | | |
|--------------------------------|-------------------------|-----|-----------|-------------------|------------|
| Boiling point / range : | (1013 hPa) | ca. | 100 | °C | literature |
| Density : | (20 °C) | ca. | 0,98 | g/cm ³ | DIN 53217 |
| Solubility in water : | (20 °C) | | soluble | | |
| pH value : | (20 °C / 999 g/l) | ca. | 6,5 - 7,5 | | DIN 19261 |
| Viscosity : | (23 °C / at 1291 s-1) | ca. | 40 | mPa.s | DIN 53214 |
| Content VOC (EC) : | | | -- | % b.w. | |

Additional information

--

10. Stability and reactivity

--

Conditions to avoid

Stable under recommended storage and handling conditions(See section 7).

11. Toxicological information

Additional toxicological information

-- The product was classified in toxicological terms on the basis of the results of the calculation procedure outlined within General Directive on Preparations (88/379/EEC).

12. Ecological information

